



# 4 Star Show Pig Vaccination Protocol



Sows and Gilts	*PRRS/Flu/Circo/Myco	<b>PFC</b>	Every 6 months and do not give to pregnant females	
Sows-PreBreed	*Parvo/Lepto/Ery	<b>PLE</b>	At least 2 weeks before breeding and at least 2x/year	
Gilts-PreBreed	*Parvo/Lepto/Ery	<b>PLE</b>	2 doses-3 wks apart- last dose 2 weeks before breeding	
Gilts-PreBreed	Ivomec 1%(order by cc)		Pre-breed worm and mange control	1cc/75#
Sows and Gilts	*E coli/Past/Bord/Ery	<b>EEPB</b>	2 doses Approx 6 & 3 weeks pre-farrow	
Sows and Gilts	Ivomec 1%(order by cc)		Mange/Worms control 5-10 before farrowing	1cc/75#
Pigs	Iron/Pen/Draxxin	<b>IPD</b>	Under 24 hours of age - again at 7-10 of age Give at room temperature	
Pigs at Weaning	Ivomec .27%(order by cc)	<b>Piglet Ivomec</b>	Mange/Worms	1cc/20#
Pigs	*Myco/Flu/Ery/Circo	<b>Showpig Vaccine</b>	At 3 and 6 weeks of age Give at room temp and not with other vaccines	
Pigs/Joint Vaccine	*Myco Hyorhinis/ Myco hyosynoviae/ Strep/Parasuis	<b>Joint Vaccine</b>	At 5 and 8 weeks of age Give at Room temp and not with other vaccines	

**\*Keep these items refrigerated**

**When placing order, please order by the dose**

**Farrowing recommendations are on the following page.**

Revised 12-27-2012

## Four Star Veterinary Service Contacts:

Feel free to call us if you have any questions.

Dale A. Hendrickson, DVM  
Farmland, IN  
765-468-6099

Bill Minton, DVM  
Chicksaw, OH  
419-925-9300

Doug Powers, DVM  
Rushville, IN  
765-938-4302

Duane Long, DVM  
Mexico, IN  
765-985-2344

Jim Kober, DVM  
Holland, MI  
616-355-7447

Mike Pierdon, DVM  
Elizabethtown, PA  
717-367-1206

Other Recommendations:

1. If sows do not farrow on 114 days of gestation we recommend induced farrowing. This should be done by giving 2cc Lutalyse.  
Most pregnant sows will start farrowing 24-28 hours later
2. When sows are farrowing if they do not have a pig every 1/2 hour then give 1/2 cc of Oxytocin.
3. Do not give Oxytocin during farrowing unless the sow does not have a pig every 1/2 hour.
4. All sows should receive 1cc of Oxytocin when done farrowing.
5. If you have to assist in farrowing give sows an antibiotic when the farrowing is complete.